

Competency 3

Lesson 3.10

Road Vehicle

Load And Size

Limits Guide



ÇA ROULE !
DEPUIS 40 ANS



INTRODUCTION

What are the 2 main objectives in **Road Vehicle Load and Size Limits Guide?**



DEFINITIONS

Regarding the **wheelbase of a semi-trailer**, how is this **distance measured?**



DEFINITIONS

What is the **meaning** of GAWR ?

What is the **definition** of GAWR ?

Symbols

$x < y$ = means that x is less than y

$x > y$ = means x is greater than y

$x < y < z$ = means that y is greater than x and smaller than z

$x \leq y$ = means that x is less than or equal to y

$x \geq y$ = means that x is greater than or equal to y



DEFINITIONS

How is the **distance** of the Overhang (Back Swing) measured?



DEFINITIONS

What is **the particularity** of an equivalent tridem “tri-axle” (group of axles equivalent to a triple axle)?



MAXIMUM AUTHORIZED DIMENSIONS

What is the **maximum authorized length** of a truck?

What is the **maximum authorized length** of a tractor with semi-trailer?

What is the **maximum authorized length** of a double train?



MAXIMUM AUTHORIZED DIMENSIONS

What is the maximum authorized **height** of a **road vehicle**?



MAXIMUM AUTHORIZED DIMENSIONS

What is the maximum authorized **width** of a **road vehicle**?



MAXIMUM AUTHORIZED LOAD BY CLASS OF AXLES

What is the **load capacity** of an axle which belongs to category B.1 ?



MAXIMUM AUTHORIZED LOAD BY CLASS OF AXLES

The maximum permissible load of an equivalent tridem is **reduced** compared to the tridem axle (tri-axle).

What is this **reduction**?



**Thank You
For Your
Participation**

ÇA ROULE !
DEPUIS 40 ANS