

16

15

14

13

12

11

10

9

8

7

6

5

4

3

2

1

GENERAL NOTES:

- 1) USE ON T800, T600, C500 OR W900 WITH 2010 MX ENGINE, NAMUX 3 ARCHITECTURE, ETC 3.
- 2) PORTIONS OF THE ROUTING NOT SPECIFICALLY DEFINED ARE TO BE ROUTED PER K26-198-98.
- 3) SOME COMPONENTS NOT SHOWN FOR CLARITY.

TO DASH HARNESS

TO VENT FOR FUEL SHUTOFF VALVE

SEE VIEW D-D, SHEET 2

SEE VIEW E-E, SHEET 2

TO A/C PRESSURE SWITCH (ECU FAN CTL)

TO ENGINE FAN BREAKOUT

TO STARTER RELAY (COIL)

SEE DETAIL B, SHEET 1

SEE VIEW A-A, SHEET 1

SEE VIEW C-C, SHEET 2

TO ETHER START SOLENOID

TO APPLICATION SIGNAL STRAP TO MAIN BUNDLE

TO REMOTE PTO/THROTTLE

TO APPLICATION POWER STRAP TO MAIN BUNDLE

FORWARD

TO AC COMPRESSOR CLUTCH

TO ENGINE GROUND

TO ENG ECU (OEM) "J2"

TO ENGINE GROUND

VIEW A-A

(VIEW ROTATED AND COMPONENTS HIDDEN FOR CLARITY)

6	17	K231-363-HTMP	STRAP - HIGH TEMP TIE
12	16	T255R0H1R	STRAP - HEAVY DUTY TIE
5	15	DCT11	STRAP - DUAL CLAMP TIE
3	14	K169-163-6CA	NUT - HEX, LKNG, STL, M6
2	13	K363-95CA	WASHER
1	12	K363-338-2-312	WASHER - FLAT, STL, M6
8	11	K363-338-2-250	WASHER - FLAT, STL, M6
1	10	K041-803-20CA	BOLT - HEX HD, STL, M8
1	9	K041-802-30CA	BOLT - HEX HD, STL, M6
2	8	K041-802-25CA	BOLT - HEX HD, STL, M6
2	7	K041-802-20CA	BOLT - HEX HD, STL, M6
1	6	W62-1001	HEAVY DUTY TIE MOUNT
5	5	HDM250H1R	HEAVY DUTY TIE MOUNT
1	4	156-00070	CABLE TIE WITH FT9B MOUNT
1	3	K299-420	BRACKET - STANDOFF
1	2	K028-2488-6	BRACKET - STANDOFF
1	1	K028-2488-10	BRACKET - STANDOFF





