Revision: 22.08.2008 1 Identification of substance: · Product details: • Trade name: RENOLIT LX-N EP 2 180K · Application of the substance / the preparation: Lubricating grease · Manufacturer/Supplier: FUCHS EUROPE SCHMIERSTOFFE GMBH EXPORT DIVISION Friesenheimer Str. 15 D-68169 Mannheim Tel: ++49 (0)621/3701-0 (Switch Board) Fax: ++49 (0)621/3701-570· Informing department: Product safety department Tel: ++49 (0)621/3701-333 E-Mail: Produktsicherheit@fuchs-europe.de Emergency information: Tel: ++49 (0)621/3701-333 or ++49 (0)621/3701-0 (Switch Board) 2 Hazards identification · Hazard designation: By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. Information pertaining to particular dangers for man and environment This product is water polluting; see item 12. R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. · Classification system The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method of the Directive 1999/45/EC concerning specific data of compounds. 3 Composition/information on ingredients · Chemical characterization · Description: Lubricating grease: Thickener system and additives in solvent refined

Lubricating grease: Thickener system and additives in solvent refined mineral oil.

Dangerous components:

ZnDTP

Xi, N; R 36-51/53

Alkaryl amine

R-phrases

1-2.4 %

R 52/53

Tolutriazole derivative

0.1-1 %

(Contd. on page 2)

-----GB-+

Revision: 22.08.2008 +----Trade name: RENOLIT LX-N EP 2 180K +-----(Contd. of page 1) Xi, N; R 38-43-51/53 Additional information For the wording of the listed risk phrases refer to section 16. 4 First aid measures General information Change clothes and shoes contaminated or soaked by the product. Never put rags contaminated by the product into cloth-pockets.

After inhalation Seek medical treatment in case of complaints. · After skin contact Instantly wash with water and soap and rinse thoroughly. · After eye contact Rinse opened eye for several minutes under running water. · After swallowing Seek medical treatment. 5 Fire fighting measures · Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. · For safety reasons unsuitable extinguishing agents Water with a full water jet. · Protective equipment: In case of fire fighting: wear self containing breathing apparatus +-----6 Accidental release measures · Person-related safety precautions: Not required. · Environmental protection measures: Do not allow to enter drainage system, surface or ground water. · Measures for cleaning/collecting: Collect mechanically. Dispose of the material collected according to regulations. · Additional information: No dangerous materials are released. 7 Handling and storage · Handling · Information for safe handling: No special measures required. · Information about protection against explosions and fires: No special measures required. · Storage

- Requirements to be met by storerooms and containers:
 No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 3)

Revision: 22.08.2008 +----

Trade name: RENOLIT LX-N EP 2 180K

+-----

(Contd. of page 2)

• Further information about storage conditions: Local regulations concerning handling and storage of waterpolluting products have to be followed.

- 8 Exposure controls and personal protection
- · Additional information about design of technical systems: No further data; see item 7.
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information:

The lists that were valid during the compilation were used as basis.

- · Personal protective equipment
- · General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals and the mineral oil products. Wash hands during breaks and at the end of the work. Avoid close or long term contact with the skin. Use skin protection cream for preventive skin protection. Do not carry cleaning cloths impregnated with the product in trouser pockets.
- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves and protective skin cream.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.Eye protection: Not required.
- · Body protection: Protective work clothing.
- 9 Physical and chemical properties:
- · General Information

Form: Pasty

· Colour: Light brown · Smell: Characteristic

> Value/Range Unit Method

(Contd. on page 4) +-----GB-+

Revision: 22.08.2008

· Change in condition

• Melting point/Melting range: Not determined

· Boiling point/Boiling range: not applicable or not determined

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

· Danger of explosion: Product is not explosive.

 \cdot Density at 25 ° C ca. 0.9 g/cm3 DIN 51 757

· Solubility in / Miscibility with

· Water: Insoluble

· Viscosity or Consistency-Class: NLGI 2-3

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided:
 No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known
- · Dangerous products of decomposition:
 No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect known.
- · on the eye: No irritant effect known.
- · Sensitization: No sensitizing effect known.
- · Additional toxicological information:
 When used and handled according to specifications, the product does

When used and handled according to specifications, the product does not have any harmful effects according to our actual informations.

12 Ecological information:

- · Behaviour in environmental systems:
- · Mobility and bioaccumulation potential: No data available
- · Ecotoxical effects:
- · Remark: Harmful to fish
- Behaviour in sewage processing plants:
 The product swims on the water surface.
- · General notes:

German Water Endangering Class 1 (Self-assessment): slightly hazardous (Contd. on page 5)

Revision: 22.08.2008

Trade name: RENOLIT LX-N EP 2 180K

| Trade name: RENULIT LX-N EP 2 180K

(Contd. of page 4)

for water.

Do not allow to reach ground water, water bodies or sewage system. The product contains materials that are harmful to the environment.

13 Disposal considerations

- · Product:
- · Recommendation

Smaller quantities have to be disposed in line with local legislation. When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.

Delivery of waste oil only to offically authorized collectors.

- European waste catalogue 12 01 12: spent waxes and fats
- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Small one-way packagings have to be disposed according to the local regulations. EWC 15 01 99.

14 Transport information

- · Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)
- ADR/RID-GGVS/E Class:
- Maritime transport IMDG/GGVSea:
- IMDG/GGVSea Class:
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class:
- Transport/Additional information:
 No dangerous good acc. to dangerous goods/ transport directions.

15 Regulatory information

Designation according to EU guidelines:
 The product has been classified and labelled in accordance with EC Directives until 2004/73/EC (29. ATP).
 Observe the normal safety regulations when handling chemicals or mineral oil products.

· Risk phrases:

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

(Contd. on page 6)

·GB·

Revision: 22.08.2008

Trade name: RENOLIT LX-N EP 2 180K

(Contd. of page 5)

· Safety phrases:

Avoid release to the environment. Refer to special instructions/safety data sheets.

- · Special designation of certain preparations: Contains Tolutriazole derivative. May produce an allergic reaction.
- · National regulations
- German Water Hazard Class:
 Water Engangering Class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

All ingredients are listed in the European Inventories. These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This data sheet is a safety data sheet according to 91/155/EU. For products which are not subject to classification according to EU lists this data sheet is made on a voluntary base.

- · Relevant R-phrases for the hazardous components in item 3
 - 36 Irritating to eyes.
 - 38 Irritating to skin.
 - May cause sensitisation by skin contact.
 - 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 - 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- Department issuing data specification sheet: FUCHS EUROPE SCHMIERSTOFFE GMBH Export Division Product Safety Departement
- · Contact:

Product Safety Departement:

Tel: ++49(0)621/3701-333 Mrs. Manuwald

· Validity:

With this latest edition of this MSDS all former editions are not valid any longer.

Changed items are marked with "*".

--GB-